<u>Green:</u> Easiest to maintain, lowest need for spray, most disease resistant <u>Yellow/Orange:</u> Highlight: Medium difficulty, some need for spray and somewhat disease prone <u>Red:</u> Most difficult, most disease prone, need a lot of spraying and maintenance

Enterprise *best seller*

- Disease Resistance/Spray: low/no spray, high resistance to fire blight, rust, mod res to mildew
- Texture/Uses: Multipurpose, Firm, fresh eating, baking
- Ripening Time: oct

Querina

- Disease Resistance/Spray: low/no spray, scab resistant, moderate resistance to mildew Somewhat susceptible to rust
- Texture/Uses: Firm/juicy, sweet/tart
- Ripening Time: mid oct

Freedom

- Disease Resistance/Spray: lo/no spray hi res to scab, rust, mildew, fireblight
- Texture/Uses: Multipurpose, fresh eating, juice, sauce, medium-firm
- Ripening Time: late sept

Liberty

- Disease Resistance/Spray: low spray, hi disease resistance
- Texture/Uses: sweet/tart, crisp, juicy, fresh eating,
- Ripening Time: early oct

Arkansas Black

- Disease Resistance/Spray: Lo spray, Hi res to rust, fireblight, sus to scab
- Texture/Uses: Very Firm, Tart, High acid, Spicy flavor, Cider- sweetens in storage
- Ripening Time: Oct-Nov
- Requires Two Pollinators**

Wolf River

- Disease Resistance/Spray: Low spray, somewhat scab resistant
- Texture/Uses: Soft, Cooking/Baking
- Ripening Time: late sept- early oct

Crown Empire

- Disease Resistance/Spray: lo spray,, hi res to fireblight, wooly aphids, phytophthora
- Texture/Uses: Multipurpose, fresh eating, baking, cider
- Ripening Time: Aug-Sept

Red Delicious

- Disease Resistance/Spray: lo spray, res to rust, fireblight, mildew
- Texture/Uses: sweet, juicy, lightly crisp, fresh eating, cider, juice, mild flavor
- Ripening Time: mid sept-mid oct

Initial

- Disease Resistance/Spray: Low spray, Scab resistant
- Texture/Uses: mild sweet flavor, mildly thick skin, multipurpose, low acidity
- Ripening Time: early august-mid july

Gold Rush

- Disease Resistance/Spray: low spray, resistant to scab, mildew
- Texture/Uses: tart off the tree-sweetens in storage, sauce, baking, slightly soft-firm
- Ripening Time: late oct-mid nov

Nova Spy

- Disease Resistance/Spray: low spray, good resistance to scab
- Texture/Uses: sweet, fresh eating, baking, juicing multipurpose, hint of vanilla
- Ripening Time: mid-october

RubyRush

- Disease Resistance/Spray: low spray, great res to fire blight and rust, res to scab
- Texture/Uses: crisp, stores well, firm, sweet/tart, fresh eating, baking
- Ripening Time: late sept-early oct

Winesap

- Disease Resistance/Spray: med/lo spray, hi res to rust, mildew, some sus to fireblight, sus to scab but less so in drier climates
- Texture/Uses: baking, fresh eating, cider, spicy wine-like flavor, multipurpose,
- Ripening Time: late sept-early nov

McIntosh

- Disease Resistance/Spray: low/med spray, mod res to, fireblight, rust, mildew, scab
- Texture/Uses: multipurpose, sweet/tart, crisp, juicy, fresh eating, baking, juice, cider
- Ripening Time: early-mid sept

Northern Spy

- Disease Resistance/Spray: Med spray, mod res to fireblight, immune to wooly aphids, sus to mildew, scab, cedar-apple rust, very sus to bitter pit
- Texture/Uses: fresh eating, cooking, cider, juice, dried, multi-purpose
- Ripening Time: mid-october

Baldwin

- Disease Resistance/Spray: Med Spray, Hi res to rust, sus to scab, mod sus to fireblight, hi sus to mildew, hi sus to bitter pit
- Texture/Uses: Multipurpose, baking, fresh eating, cider, stores well
- Ripening Time: Oct-Nov

Crimson Crisp

- Disease Resistance/Spray: med spray, hi res to scab, mod res to rust, some res to mildew and fireblight
- Texture/Uses: Crisp, Firm, Tart, fresh eating, stores well, firm. sweet/tart, good sub for Honeycrisp
- Ripening Time: late sept-oct

Galarina

- Disease Resistance/Spray: medium spray, High tolerance to scab and mildew
- Texture/Uses: Crisp, Sweet, fresh eating, dessert, cider, good sub for Gala
- Ripening Time: mid-late sept

Macoun

- Disease Resistance/Spray: res to rust, sus to fireblight, scab, canker
- Texture/Uses: Fresh eating, Dessert Apple, Firm/Juicy, sweet/tart, not good for storage, bruises easily

Ripening Time: late sept-early oct

Pink Lady

- Disease Resistance/Spray: med spray, hi sus to fire blight, rust, some res to scab, mildew
- Texture/Uses: Sweet/tart, crisp, juicy, fresh eating, desserts,
- Ripening Time: mid-late oct

Red Cameo

- Disease Resistance/Spray: med spray, sus to fireblight, scab, rust, mildew
- Texture/Uses: baking, good for storage, fresh eating, sweet/tart
- Ripening Time: mid oct

Spur Winter Banana

- Disease Resistance/Spray: med spray, hi sus to rust
- Texture/Uses: firm, crisp, tangy, juicy, banana like aromatic flavor, fresh eating, cider
- Ripening Time: late oct-nov

Cortland

- Disease Resistance/Spray: Hi spray, sus to rust, fireblight, mildew, scab, blister spot(cosmetic issue)
- Texture/Uses: Multipurpose, soft, juicy, slightly tart, baking, salads, fresh eating
- Ripening Time: mid sept-early oct

<u>Fuji</u>

- Disease Resistance/Spray: High Spray, sus to scab, fireblight, rust
- Texture/Uses: multipurpose, baking, fresh eating, etc
- Ripening Time: late sept-early oct

Gala

- Disease Resistance/Spray: hi spray, sus to mildew, rust, scab, canker, fireblight
- Texture/Uses: sweet/crisp, multipurpose
- Ripening Time: mid sept-late oct

Ambrosia

- Disease Resistance/Spray: High Spray, highly susceptible to fire blight, scab, some resistance to mildew
- Texture/Uses: very sweet/crisp, fresh eating, salads
- Ripening Time: Mid season, early september-early october

Aztec Fuji

- Disease Resistance/Spray: High Spray, Sus to fireblight, scab, rust, leaf blotch, blister spot, bitter rot
- Texture/Uses: Firm/crisp/sweet, baking, fresh eating, dessert
- Ripening Time: mid oct

Granny Smith

- Disease Resistance/Spray: hi spray- only resistant to rust
- Texture/Uses: Tart, Fresh eating, baking, multipurpose
- Ripening Time: late sept-late oct

Honeycrisp

- Disease Resistance/Spray: High Spray, moderately resistant to scab
- Texture/Uses: Fresh eating, crisp/juicy/sweet-tart, sauce, juice

• Ripening Time: mid-late sept